



PROTECTIVE INDUSTRIAL PRODUCTS

G-Tek
PolyKor

ANSI EN 388 16-377
A7 L
CUT 4X42F

**MAXIMUM
CUT PROTECTION
AND DURABILITY**

www.pipusa.com

G-Tek[®]
PolyKor[®]
X7™ TECHNOLOGY



TM

DESIGNED FOR HIGH CUT HAZARDS & INCISION RISK

High cut hazard applications



Glass handling
Glass and window manufacturing and installing



Metal handling
Cutting, stamping and metal manufacturing



Sharp Parts Assembly
Handling sharp parts and tools



Construction
Tile, glass work and handling large sharp parts


APPLIED FORCE

CUT RISK HAZARD MATRIX™

LIGHT to MEDIUM CUT HAZARDS

LIGHT CUT HAZARDS

HIGH CUT HAZARDS



INCISION

- Medium gauge, thicker liner to absorb pressing edge and allow yarn to roll
- Spun or high strength filament yarns

MEDIUM to HIGH CUT HAZARDS



EDGE SHARPNESS



TECHNOLOGY

The latest in engineered yarn development.

What is X7™ Technology?

PIP's G-Tek® PolyKor® with X7™ Technology represents the latest in engineered yarn development. This super light-weight and thin, 18 gauge reinforced yarn provides very high cut resistance and durability by way of proprietary fibers.

The result is exceptional cut resistance in a thin liner configuration.

G-Tek®
PolyKor®
X7™ TECHNOLOGY



16-377



- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Comfortable and flexible
- Black coloring hides the dirt better than lighter colored gloves

APPLICATIONS:

Glass Cutting, Metal Handling, Sharp Parts Assembly, Construction

STYLE NUMBER	ANSI	EN 388	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	GAUGE	SIZES
16-377	A7	4X42F	NeoFoam®	Palm & Fingertips	■ Black	G-Tek® PolyKor® X7™ Technology	■ Black	18	S - XXL



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com



PART # .88250

5/2018

